



Great heights. Highly secured. **Tool tethering**



A REASSURING FACTOR OF SAFETY.

FROM TETHERED TOOLS.

A service job when working at heights, places special demands on personnel and tools. Only if the worker, tools and small components are all protected against falling will it be possible to ensure safe, efficient working methods.

Losing a tool at height not only interrupts the workflow and can damage the tool itself. Individuals on the ground are also at risk of injury. This is why STAHLWILLE's new tool-tethering system offers ideal solutions for virtually every field of application.





100% SAFE

The QuickRelease security lock from STAHLWILLE prevents unintentional release of all extensions and insert tools



You can experience the QuickRelease system in a video at: www.stahlwille.de/

SAFELY STORED

As an enhancement STAHLWILLE can provide specially compiled safety foam inlays with the Tool Control System (TCS) for tethered tool sets that provide perfect storage, ideal protection and a high level of visual control.



D-RING TOOL TETHERS

- For tools weighing from 0.9 kg to 2.3 kg
- Different versions available, depending on the type of tool

Code	No.	Dims. in cm	Load rating kg
86 80 00 01	8501/1W0	1.3 x 5.7	0.9
86 80 00 02	8501/2W0	2.5 x 8.9	2.3
86 80 00 03	8501/3WOS	2.5 x 8.9	2.3



QUICK-WRAP FABRIC TAPE

- Self-vulcanising, silicone-reinforced fabric tape for the reliable attachment of tool eyelets to tools
- Extremely flexible, durable and adaptable
- Fibreglass-reinforced and therefore resistant to sharp edges
- Removable without residues

Code	No.	L cm
86 80 00 10	8601GW	274



HEAT SHRINK RINGS

- Reduce in size by 200% when heat is applied
- Additional protection for fabric tape connection
- Ideal for particularly demanding and wear-inducing working environments

Code	No.	Dims. in cm
86 80 00 15	8701/1WS	1.9 x 4.5
86 80 00 16	8701/2WS	2.5 x 4.5
86 80 00 17	8701/3WS	3.8 x 5.1
86 80 00 18	8701/4WS	5.1 x 10.2
86 80 00 19	8701/5WS	7.6 x 10.2



2





TANGLE-FREE QUICK SPINS

- Reusable, expandable, non-conductive sleeve
- Available in suitable sizes for almost any tool grip
- Absolutely secure but also flexible tangle-free spin mechanism

Code	No.	Ø cm	Load rating kg
86 80 00 24	8801/AS1	1.5	0.5
86 80 00 25	8801/AS2	2.0	0.5
86 80 00 26	8801/AS3	2.5	0.5
86 80 00 27	8801/AS4	3.1	0.5



TETHER-READY RINGS

- For tools weighing up to 0.9 kg
- Can be fitted in seconds using small pliers

Code	No.	Ø cm	Load rating kg
86 80 00 36	8901/WR1	1.9	0.9
86 80 00 37	8901/WR2	2.5	0.9
86 80 00 38	8901/WR3	3.8	0.9



BUNGEE TETHERS

- Stretchable lanyards offering optimum flexibility combined with perfect protection
- Extremely robust and durable, load rating confirmed in independent tests
- Self-closing carabiner prevents inadvertent opening and closing

Code	No.	L cm	Load rating kg
86 80 00 44	9001/BGH1	81.3-119.4	6.8
86 80 00 45	9001/BGH2	78.7-132.1	15.9



COIL TETHERS

- Space-saving design of spiral tether but with long reach
- Vinyl-based construction that is easy to clean
- An ideal alternative to the conventional lanyard



Code	No.	L cm	Load rating kg
86 80 00 50	9101/SH1	4.4-70	0.9
86 80 00 51	9102/SH2	17.8-86.4	0.9
86 80 00 52	9103/SH3	4.4-70	2.3

TRIGGER TETHERS

- Robust tether straps with trigger locks at both ends
- Integrated tangle-free spin mechanism
- The triggers can easily be operated even when the worker is wearing gloves

Code	No.	L cm	Load rating kg
86 80 00 58	9201/TR1	30.5	4.5
86 80 00 59	9201/TR2	60.9	4.5
86 80 00 60	9201/TR3	91.4	4.5

CINCH LOOPS

- For moderately heavy loads
- With twist-lock carabiner made of aluminium to prevent inadvertent opening
- Ideal for tools with cinch fastenings

Code	No.	L cm	Load rating kg
86 80 00 66	9301WV	183	15.9



4





TOOL HOLSTERS

- Reflective belt holsters with a load rating for the D-ring tool tethers of 2.3 kg (load rating of the retractor is 0.7 kg)
- With two D-rings, a retractor and magnetic tool holder
- Incorporates drain holes and ventilation openings for work in wet environments

Code	No.
86 80 00 70	9401WH





SAFE BUCKETS

- 30 litre capacity, suitable for holding up to 45.5 kg
- With integrated closure system, spill protection, twist-lock carabiner and hard-wearing pull-up or shoulder strap
- Strong base made of composite material
- Optional: shaped hard-body insert with several internal pockets

Code	No.	Dims. in cm	Load rating kg
86 80 00 93	9701/SB	38 x 32	45.4
86 80 00 94	9702/SBE*	-	-

^{*} Insert



TOOL BELTS

- Modular system allows individual combination of holsters and pouches
- Generously padded for maximum comfort
- Available in three different waist sizes

Code	No.	L cm	Size
86 80 00 81	9501/WG1	71-91	S/M
86 80 00 82	9501/WG2	91-112	L/XL
86 80 00 83	9501/WG3	112-132	XXL/XXXL



WRISTBANDS

- Elastic wristband with a load rating of 2.3 kg
- With Velcro fastener, suitable for any wrist size
- Integrated attachment ring for securing tools

Code	No.	Load rating kg
86 80 00 99	9801/HG	2.3



SMALL PARTS POUCHES

- Patented quick-release closure ensures that items remain in the bag
- Easy removal of small parts
- Compatible with most tool belts on the market

Code	No.	Dims. in cm
86 80 00 87	9601/KB	28 x 25 x 8





